



BUREAU  
VERITAS

Bureau Veritas Certification

# Certificate of Approval

AWARDED TO

**Simoldes Plásticos Indústria Limitada**

Rodovia Presidente Dutra, S/N, KM 130, Jardim América, 12280-000 Caçapava, Brazil

IATF USI: GYCMCK

Bureau Veritas Certification certify that the Quality Management System of the above organisation has been audited and found to be in accordance with the requirements of

**IATF 16949 - FIRST EDITION**

and the applicable customer specific requirements



SCOPE

Design and manufacturing

PERMITTED EXCLUSION(S)

None

PRODUCT(S) DELIVERED

injected thermoplastic parts and thermoset moulded parts.

Date Of Certification: 03-09-2024

Date Of Expiration: 02-09-2027

IATF Certificate N° : 0543716

Bureau Veritas Certification Certificate No: PT008730-8 - IATF

Revision: 1

For Bureau Veritas Certification Holding, Tour ALTO, 4 place des saisons, 92400 COURBEVOIE - France  
(The official document is in English. Any translations of this document shall be used for reference only.)





BUREAU  
VERITAS

Bureau Veritas Certification



# Appendix to the Certificate of Approval

AWARDED TO

**Simoldes Plásticos Indústria Limitada**

Rodovia Presidente Dutra, S/N, KM 130, Jardim América, 12280-000 Caçapava, Brazil

IATF USI: GYCMCK

REMOTE SUPPORT FUNCTION(S)

NAME	ADDRESS	SCOPE
Simoldes Plasticos Industria, Limitada	BR 376, Km. 628, nº 26500, 83090-36 Sao José dos Pinhais, Brazil IATF USI: 3YCGEP	Purchasing
SIMOLDES PLASTICOS, SA	Rua Comendador Antonio da Silva Rodrigues 165, 3721-902 Oliveira de Azemeis, Portugal IATF USI: TEE632	Finance, Policy Making, Management Review, Process Design, R&D, Product Design, Quality System Management

Date Of Certification: **03-09-2024**

Date Of Expiration: **02-09-2027**

IATF Certificate N° : **0543716**

Bureau Veritas Certification Certificate No: **PT008730-8 - IATF**

Revision: **1**

For Bureau Veritas Certification Holding, Tour ALTO, 4 place des saisons, 92400 COURBEVOIE - France  
(The official document is in English. Any translations of this document shall be used for reference only.)

